



# EVF

## DEEP CYCLE LEAD ACID BATTERY

Modello EVF	Industry Reference	Caratteristiche Elettriche					Caratteristiche Meccaniche								
		V	Ah		Scarica Minuti		Terminali	Lunghezza		Larghezza		Altezza		Peso	
			5 h	20 h	@25A	@75A		mm	in	mm	in	mm	in	lbs	kg
<b>GC2-605</b>	<b>GC6</b>	6	165	210	392	107	DT	260	10.24	181	7.13	286	11.26	56	25.40
<b>GC2-105</b>	<b>GC6</b>	6	185	225	445	115	DT	260	10.24	181	7.13	286	11.26	59	26.76
<b>GC2-125</b>	<b>GC6</b>	6	195	235	475	125	DT	260	10.24	181	7.13	286	11.26	63	28.58
<b>GC2-145</b>	<b>GC6H</b>	6	205	245	530	145	DT	260	10.24	181	7.13	302	11.89	67	30.39
<b>901-260</b>	<b>901-250</b>	6	220	260	565	160	DT	295	11.61	181	7.13	295	11.61	72	32.66
<b>902-325</b>	<b>902-305</b>	6	265	325	725	185	DT	302	11.89	181	7.13	371	14.61	87	39.46
<b>903-390</b>	<b>903-L16</b>	6	320	390	820	230	ST	302	11.89	181	7.13	425	16.73	111	50.35
<b>GC8-875</b>	<b>GC8</b>	8	145	170	340	90	ST	260	10.24	181	7.13	286	10.94	64.5	29.26
<b>GC8-890</b>	<b>GC8</b>	8	150	190	345	100	ST	260	10.24	181	7.13	286	10.94	69	31.30
<b>24DC-85</b>	<b>24 BCI</b>	12	70	85	135	35	DT	279	10.98	171	6.73	248	9.76	56	25.37
<b>27DC-105</b>	<b>27 BCI</b>	12	90	105	205	45	DT	324	12.87	171	6.73	248	9.76	58.6	26.58
<b>31DC-130</b>	<b>31 BCI</b>	12	100	130	225	50	DT	330	12.99	171	6.73	248	9.76	65.5	29.71
<b>GC2-1275</b>	<b>GC12</b>	12	125	155	295	80	DT	333	13.11	179	7.05	289	11.38	90	40.82
<b>921-210</b>	<b>921-185</b>	12	160	210	400	110	DT	397	15.63	179	7.05	378	14.88	109	49.44

### TERMINALI:



ST



DT

